




Shing-Fong Su



**The
UMTS Air-Interface
in RF Engineering**

**Design & Operation
of UMTS Networks**

The UMTS Air-Interface in RF Engineering: Design and Operation of UMTS Networks

Shing-Fong Su, Ph.D.

Distinguished Member of Technical Staff, Alcatel-Lucent



New York Chicago San Francisco Lisbon London Madrid
Mexico City Milan New Delhi San Juan Seoul
Singapore Sydney Toronto

Library of Congress Cataloging-in-Publication Data

Su, Shing-Fong.

The UMTS air-interface in RF engineering / Shing-Fong Su.

p. cm.

ISBN 0-07-148866-9 (alk. paper)

1. Radio circuits--Design and construction. 2. Radio frequency. I. Title.
TK6560.S87 2007
621.384'12--dc22

2007008339

McGraw-Hill books are available at special quantity discounts to use as premiums and sales promotions, or for use in corporate training programs. For more information, please write to the Director of Special Sales, Professional Publishing, McGraw-Hill, Two Penn Plaza, New York, NY 10121-2298. Or contact your local bookstore.

The UMTS Air-Interface in RF Engineering: Design and Operation of UMTS Networks

Copyright © 2007 by Alcatel-Lucent. All rights reserved. Printed in the United States of America. Except as permitted under the Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of publisher.

1234567890 DOC/DOC 01987

ISBN-13: 978-0-07-148866-2

ISBN-10: 0-07-148866-9

Sponsoring Editor

Steve Chapman

Copy Editor

Julie M. Smith

Composition

International Typesetting
and Composition

Editorial Supervisor

Jody McKenzie

Proofreader

Bev Weiler

Illustration

International Typesetting
and Composition

Project Manager

Vastavikta Sharma

Indexer

Shing-Fong Su

Acquisitions

Coordinator

Katie Andersen

Production Supervisor

George Anderson

Information has been obtained by McGraw-Hill from sources believed to be reliable. However, because of the possibility of human or mechanical error by our sources, McGraw-Hill, or others, McGraw-Hill does not guarantee the accuracy, adequacy, or completeness of any information and is not responsible for any errors or omissions or the results obtained from the use of such information.

Contents

Preface	xv
Acknowledgments	xix
Nomenclature	xxi

Chapter 1. Introduction to UMTS	1
1.1 What Is UMTS?	1
1.2 Evolution of WCDMA	2
1.3 UMTS Services	3
1.4 UMTS Network	4
1.4.1 Core network	4
1.4.2 UTRAN	5
1.4.3 User equipment	6
1.5 UMTS Frequency Band and Channel Arrangement	6
1.5.1 Frequency Bands	6
1.5.2 UTRA/FDD Transmit-To-Receive (Tx-Rx) Frequency Separation	7
1.5.3 Channel Arrangement	7
1.5.4 Carrier Frequency	7
1.5.5 UARFCN	8
1.6 Organization of the Book	8
References	10

Chapter 2. UMTS Fundamentals	11
2.1 UMTS Network Topology	11
2.2 UMTS Signaling Protocol Stack	12
2.2.1 Circuit-Switched Control Plane Protocol Stack	13
2.2.2 Packet-Switched Control Plane Protocol Stack	14
2.2.3 Circuit-Switched User Plane Protocol Stack	14
2.2.4 Packet-Switched User Plane Protocol Stack	15
2.3 Access Stratum Data Flow	15
2.3.1 RRC Functions	15
2.3.2 RLC Functions	16
2.3.3 MAC Functions	16
2.3.4 Physical Layer Functions	16
2.4 UMTS Channels	17

2.5	Channel Mappings	18
2.5.1	Channel Mapping of BCCH	19
2.5.2	Channel Mapping of PCCH	19
2.5.3	Channel Mapping of CCCH to RACH/FACH Common Channels in Idle Mode	20
2.5.4	Channel Mapping of DCCH and DTCH to RACH/FACH Common Channels in Connected Mode	20
2.5.5	Channel Mapping of Dedicated Channels	21
2.5.6	Channel Mappings of CPCH, DSCH, and HS-DSCH	22
2.6	Protocol States	24
2.6.1	Idle Mode	24
2.6.2	Connected Mode	25
2.7	UE and Subscriber Identifiers	29
2.7.1	International Mobile Subscriber Identity	29
2.7.2	Temporary Mobile Subscriber Identity	30
2.7.3	Radio Network Temporary Identity	30
2.7.4	International Mobile Station Equipment Identity	31
2.8	System Frame Timing	31
2.8.1	System Frame Number	31
2.8.2	Connection Frame Number	32
2.9	Summary	32
	References	34
 Chapter 3. Overview of 3GPP and UMTS Standards		 35
3.1	Technical Specification Groups	36
3.1.1	Services and System Aspects Group	36
3.1.2	Core Network and Terminals Group	36
3.1.3	GSM EDGE Radio Access Network Group	36
3.1.4	Radio Access Network Group	37
3.2	3GPP Specification Releases	37
3.3	3GPP Specification Numbering Scheme	37
3.4	3GPP Specification Series	37
3.5	Summary	38
	Reference	38
 Chapter 4. Radio Resource Control		 39
4.1	RRC Message Specifications	39
4.1.1	Protocol Extensions	40
4.2	System Information	40
4.2.1	System Information Blocks	42
4.2.2	System Information Block Segmentation and Concatenation	45
4.2.3	Example of a System Information Message	47
4.2.4	Contents of System Information Blocks	47
4.3	Paging and Notification	55
4.3.1	Paging Type 1	55
4.3.2	Paging Type 2	58
4.4	RRC Connection Management	58
4.4.1	RRC Connection Request	59
4.4.2	RRC Connection Setup	60
4.4.3	RRC Connection Setup Complete	61
4.4.4	RRC Connection Release	63

4.5	Ciphering and Integrity Protection Control	63
4.5.1	Security Mode Command Message	64
4.6	Radio Bearer Control	65
4.6.1	Radio Bearer Establishment	65
4.6.2	Radio Bearer Reconfiguration	66
4.6.3	Radio Bearer Release	66
4.7	RRC Management of UE Mobility	67
4.7.1	Cell Reselection	67
4.7.2	Cell Update and URA Update Procedures	68
4.7.3	Active Set Update Procedure	69
4.7.4	Inter-RAT Mobility	69
4.8	Measurements and Reporting	71
4.8.1	Measurement Control Message	71
4.8.2	Quality Measurement	72
4.8.3	UE Internal Measurements	72
4.9	NAS Message Routing	73
4.10	Summary	74
	References	76
Chapter 5. Radio Link Control		77
5.1	Layer 2 Fundamentals	77
5.2	RLC Functions	79
5.3	RLC Entities	79
5.4	RLC Data Transfer Modes	80
5.4.1	RLC Transparent Mode	80
5.4.2	RLC Unacknowledged Mode	83
5.4.3	RLC Acknowledged Mode	85
5.5	RLC Ciphering	89
5.6	RLC Configurable Parameters	90
5.6.1	SDU Discard	90
5.6.2	AM Configurable Parameters	91
5.7	Summary	92
	References	93
Chapter 6. Medium Access Control		95
6.1	MAC Architecture	95
6.2	Logical to Transport Channel Mappings	96
6.3	MAC Header	97
6.3.1	MAC Header for Dedicated Logical Channels	98
6.3.2	MAC Header for Common Transport Channels	100
6.4	Transport Format Combination Selection	102
6.5	Traffic Volume Measurement	102
6.6	MAC Ciphering	103
6.7	MAC RACH Functions	103
6.7.1	MAC RACH Procedure	104
6.7.2	Access Class and Access Service Class	105
6.7.3	Persistency Check	106
6.8	MAC Configurable Parameters	107
6.9	Summary	108
	References	109

Chapter 7. Physical Layer

Chapter 7. Physical Layer	111
7.1 Orthogonal Spreading Codes	112
7.1.1 Orthogonal Sequences	114
7.1.2 Spreading and De-spreading	114
7.2 Scrambling Codes	118
7.2.1 Maximum Length Pseudorandom Binary Sequences	118
7.2.2 Gold Codes	118
7.2.3 Scrambling Code Generation	119
7.3 Synchronization Codes	119
7.4 Physical Layer Timing	120
7.5 Downlink Procedure	121
7.5.1 Transport Channel Data Delivery to Physical Channels	122
7.5.2 CRC Attachment	126
7.5.3 Transport Block Concatenation and Code Block Segmentation	127
7.5.4 Channel Coding	127
7.5.5 Rate Matching	129
7.5.6 First DTX Insertion	130
7.5.7 First Interleaving and Radio Frame Segmentation	131
7.5.8 Transport Channel Multiplexing and Second DTX Insertion	132
7.5.9 Second Interleaving	132
7.5.10 Mapping to physical channel	134
7.5.11 Spreading and Scrambling	134
7.5.12 Modulation	136
7.6 Uplink Procedure	136
7.6.1 Radio Frame Equalization	137
7.6.2 Rate Matching	137
7.6.3 Mapping to Physical Channels	138
7.6.4 Spreading and Scrambling	138
7.7 Physical Channel Structures and Channel Timing	139
7.7.1 PCCPCH	139
7.7.2 SCCPCH	140
7.7.3 SCH	143
7.7.4 CPICH	148
7.7.5 PICH	149
7.7.6 AICH	150
7.7.7 PRACH	151
7.7.8 Downlink DPCH	154
7.7.9 Uplink DPCH	156
7.7.10 Physical Channel Timing	158
7.8 Physical Layer Procedures	159
7.8.1 Initial Acquisition Procedure	159
7.8.2 Physical Random Access Procedure	160
7.8.3 Page Procedure	163
7.8.4 DPDCH/DPCCH Synchronization	164
7.8.5 Radio Link Establishment and Radio Link Failure	165
7.8.6 Measurements	168
7.9 Summary	172
References	175

Chapter 8. Cell Reselection	177
8.1 Types of Cell Reselection	177
8.2 Cell Reselection Fundamentals	179
8.2.1 Cell Reselection Criteria	179
8.2.2 Cell Reselection Ranking Process	181
8.2.3 Inter-Frequency Cell Reselection	183
8.2.4 Inter-RAT Cell Reselection	183
8.3 Summary	184
References	184
Chapter 9. Handover	185
9.1 UE Measurements and Reporting	186
9.1.1 UE Measurements for Handover	187
9.2 Categories of Cells	188
9.3 Soft and Softer Handover	189
9.3.1 Soft and Softer Handovers at Call Setup	189
9.3.2 Soft and Softer Handovers in Cell_DCH State	190
9.4 Inter-Frequency Handover	198
9.4.1 Virtual Active Set	198
9.4.2 Inter-Frequency Handover Procedure	198
9.4.3 Inter-Frequency Reporting Events	199
9.5 Inter-RAT Handover	204
9.5.1 Inter-RAT Handover Triggering Events	204
9.6 Compressed Mode	206
9.6.1 Compressed Mode Basics	206
9.6.2 Transmission Gap Pattern Sequence	208
9.6.3 Transmission Gap Pattern	209
9.7 Summary	212
References	214
Chapter 10. Power Control	215
10.1 Power Control for Downlink Dedicated Channels	216
10.1.1 Open Loop Power Control	216
10.1.2 Closed Loop Power Control	217
10.2 Power Control for Downlink Common Channels	225
10.2.1 Common Pilot Channel and Synchronization Channel Power Levels	226
10.2.2 Primary Common Control Physical Channel Power level	227
10.2.3 Secondary Common Control Physical Channel Power Level	227
10.2.4 Paging Indicator Channel and Acquisition Indicator Channel Power Levels	228
10.3 Power Control for Uplink Dedicated Channels	229
10.3.1 Initial Transmit Power for Uplink Dedicated Channels	229
10.3.2 Outer Loop Power Control for Uplink Dedicated Channels	230
10.3.3 Inner Loop Power Control for Uplink Dedicated Channels	232
10.4 Power Control for Uplink Common Channels	239
10.4.1 Initial Preamble Power	239
10.4.2 Successive Preamble Power	239
10.4.3 RACH Message Part Power	240

10.5	Power Control in Compressed Mode	240
10.5.1	Downlink Power Control in Compressed Mode	241
10.5.2	Uplink Power Control in Compressed Mode	242
10.6	Summary	244
	References	246
 Chapter 11. HSDPA Overview		247
11.1	HSDPA Key Features	248
11.1.1	Adaptive Modulation and Coding	248
11.1.2	Transmission Time Interval	250
11.1.3	Scheduling	250
11.1.4	Retransmission	251
11.1.5	Code Allocation and Code Multiplexing of Packet Transmissions	253
11.1.6	Power Allocation	254
11.1.7	No Downlink Soft Handover	254
11.1.8	HSDPA UE Capability	255
11.2	HSDPA Channels	256
11.2.1	HS-DSCH	256
11.2.2	HS-PDSCH	256
11.2.3	HS-SCCH	257
11.2.4	HS-DPCCH	258
11.3	HSDPA Physical Layer Procedure	260
11.3.1	CQI Reporting	261
11.4	HSDPA Related Parameters	261
11.4.1	Cell Parameters	262
11.4.2	UE Parameters	262
11.4.3	Fixed Parameters	265
11.5	General Considerations for HSDPA Deployment	265
11.5.1	Deployment Strategies	265
11.5.2	Deployment Options	265
11.5.3	User Mobility	265
11.5.4	Impact of HSDPA on Release 99 Networks	266
11.6	Summary	267
	References	269
 Chapter 12 WCDMA RF Network Planning		271
12.1	Capacity and Coverage	271
12.2	Uplink Analysis	272
12.2.1	Bit Rate	272
12.2.2	Traffic Load	272
12.2.3	Processing Gain	273
12.2.4	Required Eb/lo	273
12.2.5	Propagation Environment	273
12.2.6	Node B Receiver Noise Figure	274
12.2.7	Receiver Sensitivity, Pole Capacity and Loading	274
12.2.8	Noise Rise Due to Interference	276
12.2.9	Antenna Gain, Feeder Cable Loss, and Body Loss	277
12.2.10	Shadow Fading, Coverage Probability, and Shadow Fade Margin	278

12.2.11	Fast Fade Margin	280
12.2.12	Soft Handover Gain	281
12.2.13	UE Transmit Power	282
12.2.14	Penetration Loss	282
12.2.15	Uplink Budget	282
12.3	Propagation Models	283
12.3.1	Okumura Model	283
12.3.2	Hata Model	285
12.3.3	COST 231-Hata Model	285
12.3.4	Lee Model	286
12.4	Downlink Analysis	286
12.5	Overhead Channel Power Allocation	287
12.6	Scrambling Code Planning	289
12.6.1	Scrambling Code Planning Example	290
12.7	Base Station Antennas	291
12.7.1	Antenna Gain and Beam Width	291
12.7.2	Antenna Down Tilt	292
12.7.3	Side Lobe Suppression and Null Fill	292
12.7.4	Dual Polarization Antenna	293
12.7.5	Voltage Standing Wave Ratio and Front-to-Back Ratio	293
12.7.6	Mechanical Specifications of Antennas	294
12.8	WCDMA RF Planning Process	294
12.9	Summary	295
	References	297
Chapter 13.	WCDMA RF Network Optimization	299
13.1	RF Optimization Overview	300
13.2	Issues in RF Optimization	300
13.2.1	Cell Breathing	301
13.2.2	Pilot Pollution	301
13.2.3	Near-Far Problem	301
13.2.4	Around-the-Corner Problem	302
13.2.5	Handover Problem	302
13.2.6	Incomplete Neighbor List	302
13.3	Pre-Optimization Preparation	303
13.3.1	Hardware Check	303
13.3.2	Antenna Audit	303
13.4	RF Drive-Test-Based Optimization	303
13.4.1	RF Optimization Planning	303
13.4.2	Sector Verification	305
13.4.3	Cluster Optimization	306
13.4.4	System Verification	309
13.4.5	RF Optimization Tools	310
13.4.6	WCDMA Performance Metrics	310
13.5	Traffic-Statistics-Based Optimization	312
13.5.1	Traffic Statistics Data Collection and Processing	312
13.5.2	Key Traffic Statistics Metrics for WCDMA Networks	312
13.6	Summary	313

Chapter 14. Applications of Repeaters and Tower Mounted Amplifiers in WCDMA Networks	315
14.1 Repeater Engineering Considerations	316
14.1.1 Repeater Coverage Objectives	316
14.1.2 Base Station Desensitization	317
14.1.3 Repeater Noise Figure Rise	318
14.1.4 Donor Link Characteristics	318
14.1.5 Pilot Discrimination	319
14.1.6 Antenna Isolation and Gain Setting	319
14.1.7 Handover Issue	319
14.1.8 Donor Cell Traffic Overload	320
14.1.9 Narrow-Band Interference Amplified by Repeaters	320
14.2 Major Repeater-Related Problems in WCDMA Networks	320
14.2.1 Unable to Make a Call in the Repeater Coverage Area	321
14.2.2 High Dropped-Call Rate in the Repeater Coverage Area	321
14.2.3 High Mobile Station Transmit Power in the Repeater Coverage Area	321
14.2.4 Repeater Coverage Area Smaller Than Expected	322
14.2.5 Frequent Handovers Within the Repeater Coverage Area	322
14.2.6 Unable to Make Handovers with Other Cells	322
14.2.7 Long Access Time in the Repeater Coverage Area	322
14.2.8 Donor Cell Coverage Area Shrinkage	323
14.2.9 High Dropped-Call Rate and High Mobile Station Transmit Power in the Donor Cell Coverage Area	323
14.2.10 Pilot Pollution	323
14.3 Repeater Deployment Guidelines	323
14.3.1 Selection of Repeater Locations	324
14.3.2 Repeater Installation	324
14.3.3 General Adjustments of Repeaters After Installation	324
14.4 Tower Mounted Amplifiers	325
14.4.1 Analysis on the Improvement of Base Station Noise Figure and Link Budget	326
14.4.2 Applications of TMAs	326
14.5 Summary	327
Chapter 15. Intersystem Interferences	329
15.1 Adjacent Channel Performance	329
15.1.1 Adjacent Channel Interference Power Ratio	329
15.1.2 Adjacent Channel Leakage Power Ratio	330
15.1.3 Adjacent Channel Selectivity	331
15.1.4 Relation Between ACIR, ACLR, and ACS	332
15.2 Interferences Between UMTS and CDMA2000 Systems	332
15.3 Interferences Between UMTS and PHS Systems	335
15.3.1 Analysis of the Interference Between PHS Base Station Transmitter and UMTS Base Station Receiver	335
15.3.2 Simulation of the Interferences Between UMTS and PHS Systems	340
15.4 Interferences Between UMTS and GSM systems	341
15.4.1 Isolation Requirement for Spurious Emissions	341
15.4.2 Isolation Requirement for Third-Order Inter-Modulation	342
15.4.3 Isolation Requirement for Carrier Overload	342
15.4.4 Overall Isolation Requirement	342
15.5 Summary	343
References	343

Chapter 16. Comparison of WCDMA and CDMA2000	345
16.1 Similarities Between WCDMA and CDMA2000	345
16.1.1 Physical Layer Concepts	345
16.1.2 Physical Layer Procedures	345
16.1.3 Channelization and Spreading Concepts	346
16.1.4 Power Control	346
16.1.5 Physical Channels with Similar Functions	346
16.1.6 Different Terminologies for Similar Functions	346
16.2 Differences Between WCDMA and CDMA2000	347
16.2.1 Network Synchronization	347
16.2.2 RF Characteristics	347
16.2.3 Channel Structure	348
16.2.4 Overhead	348
16.2.5 Paging Operation	348
16.2.6 Inter-Frequency and Inter-RAT Hard Handover	348
16.3 Summary	349
Index	351