

Springer Series in Advanced Manufacturing

Olaf Diegel  
Axel Nordin  
Damien Motte


# A Practical Guide to Design for Additive Manufacturing

 Springer



Olaf Diegel · Axel Nordin · Damien Motte

# A Practical Guide to Design for Additive Manufacturing



# Contents

|          |                                                   |           |
|----------|---------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction to Additive Manufacturing</b>     | <b>1</b>  |
| 1.1      | What Is Additive Manufacturing?                   | 1         |
| 1.2      | The Additive Manufacturing Process Chain          | 4         |
| 1.3      | Current Usage of Additive Manufacturing           | 7         |
| 1.4      | The Advantages of Additive Manufacturing          | 8         |
| 1.4.1    | Part Complexity                                   | 8         |
| 1.4.2    | Instant Assemblies                                | 11        |
| 1.4.3    | Part Consolidation                                | 12        |
| 1.4.4    | Mass Customization                                | 13        |
| 1.4.5    | Freedom of Design                                 | 13        |
| 1.4.6    | Light-Weighting                                   | 14        |
| 1.4.7    | On-Demand Manufacturing                           | 16        |
| <b>2</b> | <b>Additive Manufacturing Technologies</b>        | <b>19</b> |
| 2.1      | Material Extrusion                                | 19        |
| 2.2      | Material Jetting                                  | 23        |
| 2.3      | Binder Jetting                                    | 25        |
| 2.4      | Sheet Lamination                                  | 28        |
| 2.5      | Vat Photopolymerisation                           | 30        |
| 2.6      | Powder Bed Fusion                                 | 33        |
| 2.7      | Direct Energy Deposition                          | 35        |
| 2.8      | Hybrid AM                                         | 37        |
| 2.9      | AM Technology Readiness Level for Part Production | 38        |
| <b>3</b> | <b>DfAM Strategic Design Considerations</b>       | <b>41</b> |
| 3.1      | Introduction to Design for Additive Manufacturing | 41        |
| 3.2      | Using AM to Add Value to Products                 | 43        |
| 3.3      | General Guidelines for Designing AM Parts         | 43        |
| 3.3.1    | The #1 Rule of Design for AM                      | 43        |
| 3.3.2    | The #2 Rule of Design for AM                      | 44        |



|          |                                                                                       |           |
|----------|---------------------------------------------------------------------------------------|-----------|
| 3.3.3    | The #3 Rule of Design for AM . . . . .                                                | 45        |
| 3.3.4    | The #4 Rule of Design for AM . . . . .                                                | 45        |
| 3.3.5    | The #5 Rule of Design for AM . . . . .                                                | 45        |
| 3.3.6    | The #6 Rule of Design for AM . . . . .                                                | 46        |
| 3.3.7    | The #7 Rule of Design for AM . . . . .                                                | 47        |
| 3.4      | Design to Avoid Anisotropy . . . . .                                                  | 47        |
| 3.5      | The Economics of Additive Manufacturing . . . . .                                     | 48        |
| 3.5.1    | Time Factors That Are Not Affected by Design . . . . .                                | 51        |
| 3.6      | Design to Minimize Print Time . . . . .                                               | 52        |
| 3.7      | Design to Minimize Post-processing . . . . .                                          | 56        |
| 3.8      | Take Advantage of Design Complexity . . . . .                                         | 64        |
| 3.9      | Function First, Materials Second . . . . .                                            | 66        |
| 3.10     | Use Topology Optimisation or Lattice Structures . . . . .                             | 67        |
| <b>4</b> | <b>Computational Tools for Design Analysis and Optimisation of AM Parts . . . . .</b> | <b>71</b> |
| 4.1      | Aims of Using Design Analysis for AM . . . . .                                        | 71        |
| 4.2      | Special Considerations for Analysis of AM Parts . . . . .                             | 71        |
| 4.2.1    | Material Data . . . . .                                                               | 71        |
| 4.2.2    | Surface Finish . . . . .                                                              | 72        |
| 4.2.3    | Geometry . . . . .                                                                    | 72        |
| 4.2.4    | Simplifying Geometry . . . . .                                                        | 72        |
| 4.2.5    | Mesh-Based Versus Parametric Models . . . . .                                         | 73        |
| 4.2.6    | Geometry Distortion . . . . .                                                         | 73        |
| 4.3      | Mesh . . . . .                                                                        | 73        |
| 4.3.1    | Parametric Models . . . . .                                                           | 73        |
| 4.3.2    | Mesh-Based Models . . . . .                                                           | 74        |
| 4.4      | Boundary Conditions . . . . .                                                         | 74        |
| 4.5      | Optimisation . . . . .                                                                | 74        |
| 4.6      | Topology Optimisation . . . . .                                                       | 74        |
| 4.6.1    | Objective and Constraints . . . . .                                                   | 75        |
| 4.6.2    | Common Settings . . . . .                                                             | 75        |
| 4.6.3    | Post-processing and Interpreting Results . . . . .                                    | 75        |
| 4.7      | Parametric or Size Optimisation . . . . .                                             | 76        |
| 4.8      | Build Process Simulation . . . . .                                                    | 76        |
| 4.8.1    | Layer-by-Layer Simulation . . . . .                                                   | 77        |
| 4.8.2    | Scan Pattern Simulation . . . . .                                                     | 77        |
| 4.8.3    | Limitations . . . . .                                                                 | 77        |
| <b>5</b> | <b>Guidelines for Part Consolidation . . . . .</b>                                    | <b>79</b> |
| 5.1      | Design for Function . . . . .                                                         | 80        |
| 5.2      | Material Considerations . . . . .                                                     | 81        |
| 5.3      | Number of Fasteners . . . . .                                                         | 81        |
| 5.4      | Use Knowledge from Conventional DFM/DFA . . . . .                                     | 82        |



|     |                                                                                                   |            |
|-----|---------------------------------------------------------------------------------------------------|------------|
| 5.5 | Assembly Considerations . . . . .                                                                 | 83         |
| 5.6 | Moving Parts . . . . .                                                                            | 83         |
| 5.7 | Common Sense . . . . .                                                                            | 84         |
| 6   | <b>Guidelines for AM Tooling Design . . . . .</b>                                                 | <b>85</b>  |
| 6.1 | Mounting Fixtures and Guides . . . . .                                                            | 85         |
| 6.2 | Conformal Cooling . . . . .                                                                       | 86         |
| 6.3 | Coolant Flow Strategies . . . . .                                                                 | 88         |
| 6.4 | Coolant Channel Shape . . . . .                                                                   | 89         |
| 6.5 | Coolant Channel Spacing . . . . .                                                                 | 90         |
| 6.6 | A Hybrid Approach to AM Tooling . . . . .                                                         | 90         |
| 6.7 | Minimise Print Time in Tooling . . . . .                                                          | 91         |
| 7   | <b>Design for Polymer AM . . . . .</b>                                                            | <b>93</b>  |
| 7.1 | Anisotropy . . . . .                                                                              | 93         |
| 7.2 | Wall Thicknesses . . . . .                                                                        | 94         |
| 7.3 | Overhangs and Support Material . . . . .                                                          | 95         |
| 7.4 | Holes . . . . .                                                                                   | 96         |
| 7.5 | Ribs . . . . .                                                                                    | 97         |
| 7.6 | Avoiding Superfluous Material . . . . .                                                           | 98         |
| 7.7 | Font Sizes and Small Details . . . . .                                                            | 100        |
|     | 7.7.1 Small Details . . . . .                                                                     | 100        |
|     | 7.7.2 Font Sizes . . . . .                                                                        | 100        |
| 8   | <b>Polymer Design Guidelines . . . . .</b>                                                        | <b>103</b> |
| 8.1 | Designing for Material Extrusion . . . . .                                                        | 103        |
|     | 8.1.1 Material Extrusion Accuracy and Tolerances . . . . .                                        | 103        |
|     | 8.1.2 Layer Thickness . . . . .                                                                   | 104        |
|     | 8.1.3 Support Material . . . . .                                                                  | 104        |
|     | 8.1.4 Fill Style . . . . .                                                                        | 105        |
|     | 8.1.5 Other Considerations . . . . .                                                              | 106        |
|     | 8.1.6 Feature Type: Vertical Wall Thickness . . . . .                                             | 107        |
|     | 8.1.7 Feature Type: Horizontal Walls . . . . .                                                    | 107        |
|     | 8.1.8 Feature Type: Support Material Overhang Angles . . . . .                                    | 107        |
|     | 8.1.9 Feature Type: Clearances Between Moving Parts<br>with Soluble Supports . . . . .            | 108        |
|     | 8.1.10 Feature Type: Clearance Between Moving Parts<br>with Break-Away Support Material . . . . . | 108        |
|     | 8.1.11 Feature Type: Vertical Circular Holes . . . . .                                            | 109        |
|     | 8.1.12 Feature Type: Circular Pins . . . . .                                                      | 109        |
|     | 8.1.13 Feature Type: Built-in Screw Threads . . . . .                                             | 110        |
| 8.2 | Designing for Polymer Powder Bed Fusion . . . . .                                                 | 110        |
|     | 8.2.1 Powder Bed Fusion Accuracy and Tolerances . . . . .                                         | 111        |
|     | 8.2.2 Layer Thickness . . . . .                                                                   | 111        |



|        |                                                         |            |
|--------|---------------------------------------------------------|------------|
| 8.2.3  | Avoiding Large Masses of Material . . . . .             | 111        |
| 8.2.4  | Powder Age and Refresh Rate . . . . .                   | 112        |
| 8.2.5  | Feature Type: Wall Thickness . . . . .                  | 112        |
| 8.2.6  | Feature Type: Clearance Between Moving Parts . . . . .  | 113        |
| 8.2.7  | Feature Type: Circular Profile Through Holes . . . . .  | 113        |
| 8.2.8  | Feature Type: Square Profile Through Holes . . . . .    | 114        |
| 8.2.9  | Feature Type: Circular Pins . . . . .                   | 114        |
| 8.2.10 | Feature Type: Hole Proximity to Wall Edge . . . . .     | 115        |
| 8.3    | Designing for Vat Photopolymerisation . . . . .         | 115        |
| 8.3.1  | Resolution . . . . .                                    | 115        |
| 8.3.2  | Print Orientation . . . . .                             | 116        |
| 8.3.3  | Support Material . . . . .                              | 116        |
| 8.3.4  | Overhangs . . . . .                                     | 116        |
| 8.3.5  | Isotropy . . . . .                                      | 117        |
| 8.3.6  | Hollowing Parts and Resin Removal . . . . .             | 117        |
| 8.3.7  | Details . . . . .                                       | 118        |
| 8.3.8  | Horizontal Bridges . . . . .                            | 118        |
| 8.3.9  | Connections . . . . .                                   | 118        |
| 8.3.10 | Feature Type: Wall Thickness . . . . .                  | 118        |
| 8.3.11 | Feature Type: Circular Holes . . . . .                  | 119        |
| 9      | <b>Design for Metal AM . . . . .</b>                    | <b>121</b> |
| 9.1    | Designing for Metal Powder Bed Fusion . . . . .         | 121        |
| 9.2    | The Basics of Powder Bed Fusion . . . . .               | 122        |
| 9.3    | Metal Powder Production . . . . .                       | 122        |
| 9.4    | Powder Morphology (Ideal Powder Shape) . . . . .        | 124        |
| 9.5    | Powder Size Distribution . . . . .                      | 124        |
| 9.6    | Other Powder Considerations . . . . .                   | 125        |
| 9.7    | Metal AM Material Characteristics . . . . .             | 125        |
| 9.8    | Potential Defects in AM Materials . . . . .             | 126        |
| 9.9    | The Metal AM Process . . . . .                          | 128        |
| 9.9.1  | Energy Density . . . . .                                | 130        |
| 9.10   | Controlled Chaos . . . . .                              | 132        |
| 9.11   | The Reality of Metal AM . . . . .                       | 132        |
| 9.12   | Topology Optimisation . . . . .                         | 133        |
| 9.13   | Lattice Structures . . . . .                            | 134        |
| 9.13.1 | Lattice Structure Strut Diameters . . . . .             | 137        |
| 9.14   | Overhangs and Support Material . . . . .                | 138        |
| 9.14.1 | Printing Parts with Large Horizontal Surfaces . . . . . | 139        |
| 9.14.2 | Angle for Support Material . . . . .                    | 141        |
| 9.14.3 | Unsupported Angles, Overhangs, and Bridges . . . . .    | 141        |
| 9.15   | Residual Stress . . . . .                               | 143        |
| 9.15.1 | Designing to Reduce Residual Stress . . . . .           | 144        |
| 9.15.2 | Designing to Minimize Residual Stress Example . . . . . | 145        |



- 9.16 Stress Concentrations . . . . . 149
  - 9.16.1 Designing to Reduce Stress Concentrations . . . . . 149
- 9.17 Horizontal Holes . . . . . 150
- 9.18 Setting up a Metal AM Print Job . . . . . 151
  - 9.18.1 General Part Positioning Guidelines . . . . . 152
- 10 Metal AM Guidelines . . . . . 157**
  - 10.1 Design for Laser Powder Bed Fusion . . . . . 157
    - 10.1.1 Feature Type: Wall Thickness . . . . . 157
    - 10.1.2 Feature Type: Overhang Angle . . . . . 158
    - 10.1.3 Feature Type: Clearance Between Moving Parts . . . . . 158
    - 10.1.4 Feature Type: Vertical Slots and Circular Holes . . . . . 159
    - 10.1.5 Feature Type: Vertical Bosses and Circular Pins . . . . . 159
    - 10.1.6 Feature Type: Built-In External Screw Threads . . . . . 159
  - 10.2 Design for Electron Beam Melting . . . . . 160
    - 10.2.1 Post Processing . . . . . 161
    - 10.2.2 Design Guidelines . . . . . 162
    - 10.2.3 Feature Type: Wall Thickness . . . . . 164
    - 10.2.4 Feature Type: Vertical Slots and Circular Holes . . . . . 164
    - 10.2.5 Feature Type: Clearances to Remove Powder . . . . . 165
    - 10.2.6 Feature Type: Screw and Threads . . . . . 165
  - 10.3 Designing for Metal Binder Jetting . . . . . 166
    - 10.3.1 Shrinkage . . . . . 166
    - 10.3.2 Part Density . . . . . 167
    - 10.3.3 The Most Important Design Rule for Metal Binder Jetting . . . . . 168
    - 10.3.4 Feature Type: Wall Thicknesses . . . . . 171
    - 10.3.5 Feature Type: Overhang . . . . . 172
    - 10.3.6 Feature Type: Holes . . . . . 172
    - 10.3.7 Feature Type: Salt-Shaker Holes . . . . . 173
- 11 Other AM Considerations . . . . . 175**
  - 11.1 Designer Machine Operator Cooperation . . . . . 175
  - 11.2 Health and Safety . . . . . 176
    - 11.2.1 Material Exposure . . . . . 176
    - 11.2.2 Gas Monitoring . . . . . 176
    - 11.2.3 Gas Exhaust . . . . . 177
    - 11.2.4 Material Handling . . . . . 177
    - 11.2.5 Risk of Explosion . . . . . 177
  - 11.3 AM Part Certification . . . . . 177
    - 11.3.1 What Needs to Be Certified? . . . . . 178
- 12 Post-processing . . . . . 181**
  - 12.1 Support Material Removal . . . . . 182
    - 12.1.1 Polymer . . . . . 182
    - 12.1.2 Metal . . . . . 187



|         |                                                    |     |
|---------|----------------------------------------------------|-----|
| 12.2    | Polymer Surface Treatments . . . . .               | 191 |
| 12.2.1  | Vapour Smoothing . . . . .                         | 191 |
| 12.2.2  | Tumbling . . . . .                                 | 194 |
| 12.2.3  | Dying . . . . .                                    | 195 |
| 12.2.4  | Painting . . . . .                                 | 196 |
| 12.2.5  | Using Textures . . . . .                           | 196 |
| 12.2.6  | Sand Blasting . . . . .                            | 197 |
| 12.2.7  | Machining . . . . .                                | 197 |
| 12.2.8  | Metalizing . . . . .                               | 198 |
| 12.2.9  | Wrapping . . . . .                                 | 198 |
| 12.2.10 | Hydrographics . . . . .                            | 199 |
| 12.3    | Metal Surface Treatments . . . . .                 | 199 |
| 12.3.1  | Shot-Peening . . . . .                             | 200 |
| 12.3.2  | Plasma Cleaning and Ion Beam Cleaning . . . . .    | 200 |
| 12.3.3  | Machining and Grinding . . . . .                   | 201 |
| 12.3.4  | Abrasive Flow Machining . . . . .                  | 201 |
| 12.3.5  | Anodizing . . . . .                                | 202 |
| 12.3.6  | Plasma Spraying . . . . .                          | 202 |
| 12.3.7  | Plating and PVD . . . . .                          | 202 |
| 12.3.8  | Painting . . . . .                                 | 203 |
| 12.4    | Gluing and Welding AM Parts . . . . .              | 204 |
| 12.5    | Heat Treatment and Aging . . . . .                 | 204 |
| 12.5.1  | Residual Stress Relief . . . . .                   | 204 |
| 12.5.2  | Hot Isostatic Pressing (HIP) . . . . .             | 205 |
| 12.5.3  | Case Hardening and Gas Nitride Treatment . . . . . | 206 |
| 13      | The Future of Additive Manufacturing . . . . .     | 209 |
| 13.1    | Functionally Graded Materials . . . . .            | 209 |
| 13.2    | Bioprinting . . . . .                              | 210 |
| 13.3    | Construction Applications . . . . .                | 211 |
| 13.4    | Printed Electronics . . . . .                      | 212 |
| 13.5    | Nano Printing . . . . .                            | 214 |
| 13.6    | Food Printers . . . . .                            | 214 |
| 14      | Concluding Remarks . . . . .                       | 217 |
|         | Glossary of Terms . . . . .                        | 219 |
|         | References and Further Reading . . . . .           | 225 |