

### **WiMAX**

# WiMAX

# TECHNOLOGY FOR BROADBAND WIRELESS ACCESS

#### Loutfi Nuaymi

ENST Bretagne,

France

Copyright © 2007

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England Telephone (+44) 1243 779777

Email (for orders and customer service enquiries): cs-books@wiley.co.uk

Visit our Home Page on www.wiley.com

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except under the terms of the Copyright, Designs and Patents Act 1988 or under the terms of a licence issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London WIT 4LP, UK, without the permission in writing of the Publisher. Requests to the Publisher should be addressed to the Permissions Department, John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England, or emailed to permreq@wiley. coulk, or faxed to (+44) 1243 770620.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The Publisher is not associated with any product or vendor mentioned in this book.

This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the Publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

#### Other Wiley Editorial Offices

John Wiley & Sons Inc., 111 River Street, Hoboken, NJ 07030, USA

Jossey-Bass, 989 Market Street, San Francisco, CA 94103-1741, USA

Wiley-VCH Verlag GmbH, Boschstr. 12, D-69469 Weinheim, Germany

John Wiley & Sons Australia Ltd, 42 McDougall Street, Milton, Queensland 4064, Australia

John Wiley & Sons (Asia) Pte Ltd, 2 Clementi Loop #02-01, Jin Xing Distripark, Singapore 129809

John Wiley & Sons Canada Ltd, 6045 Freemont Blvd, Mississauga, ONT, L5R 4J3

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

This book contains text excerpts, tables and figures reprinted with permission from IEEE Std 802.16 [IEEE 802.16-2004, IEEE Standard for Local and Metropolitan Area Networks, Air Interface for Fixed Broadband Wireless Access Systems, Oct. 2004; IEEE 802.16f, Amendment 1: Management Information Base, Dec. 2005; IEEE 802.16e, Amendment 2: Physical and Medium Access Control Layers for Combined Fixed and Mobile Operation in Licensed Bands and Corrigendum 1, Feb. 2006], Copyright IEEE 2007, by IEEE. The IEEE disclaims any responsibility or liability resulting from the placement and use in the described manner.

#### British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library

ISBN 978-0-470-02808-7 (HB)

Typeset in 10/12 pt Times Roman by Thomson Digital.

Printed and bound in Great Britain by Antony Rowe Ltd, Chippenham, England.

This book is printed on acid-free paper responsibly manufactured from sustainable forestry in which at least two trees are planted for each one used for paper production.

To my wife, Gaëlle,

and our lovely daughter,

Alice

## Contents

Preface and Acknowledgements	
Abbreviations List	xvii
PART ONE Global Introduction to WiMAX	1
1 Introduction to Broadband Wireless Access	3
1.1 The Need for Wireless Data Transmission	3
1.2 Wireless Networks and Broadband Wireless Access (BWA)	4
1.2.1 Different Types of Data Networks	4
1.2.2 Some IEEE 802 Data Network Standards	5
1.2.3 Cordless WLL Phone Systems	6
1.3 Applications of BWA	8
1.3.1 Wireless is Not Mobile!	10
1.3.2 Synthesis of WiMAX BWA Applications	11
1.4 History of BWA Technologies	11
1.4.1 Video Distribution: LMDS, MMDS and DVB	11
1.4.2 Pre-WiMAX Systems	12
2 WiMAX Genesis and Framework	13
2.1 IEEE 802.16 Standard	13
2.1.1 From 802.16-2004 to 802.16e	14
2.2 WiMAX Forum	15
2.2.1 WiMAX Forum Working Groups	15
2.2.2 WiMAX Forum White Papers	16
2.3 WiMAX Products Certification	16
2.3.1 WiMAX Certified Products	18
2.4 Predicted Products and Deployment Evolution	19
2.4.1 Product Types	19
2.4.2 Products and Deployment Timetable	19
2.5 Other 802.16 Standards	20
2.6 The Korean Cousin: WiBro	21
3 Protocol Layers and Topologies	23
3.1 The Protocol Layers of WiMAX	23
3.2 Convergence Sublayer (CS)	25
3.3 Medium Access Control Common Part Sublayer (MAC CPS)	25
3.4 Security Sublayer	25
· · ·	

viii Contents

3.5 PHYsical Layer	26
3.5.1 Single Carrier (SC) and OFDM	27
3.6 Network Management Reference Model	28
3.7 WiMAX Topologies	28
4 Frequency Utilisation and System Profiles	31
4.1 The Cellular Concept	31
4.1.1 Sectorisation	31
4.1.2 Cluster Size Considerations	33
4.1.3 Handover	35
4.2 Licensed and Unlicensed Frequencies	36
4.2.1 Frequency Channels and Spectral Masks	37
4.3 WiMAX Frequencies, Regulations and Availability	38
4.3.1 France	39
4.3.2 Korea	40
4.3.3 USA 4.3.4 UK	40
4.5.4 UK 4.3.5 China	40 40
4.3.6 Brazil	40
4.4 WiMAX System Profiles	41
4.4.1 Fixed WiMAX System Profiles	41
4.4.2 Mobile WiMAX System Profiles	42
DADT TWO WIMAY DISTRICT	43
PART TWO WiMAX Physical Layer	43
5 Digital Modulation, OFDM and OFDMA	45
5 Digital Modulation, OFDM and OFDMA 5.1 Digital Modulations	<b>45</b> 45
5.1 Digital Modulations	45
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK)	45 45
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation	45 45 45 47 47
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission	45 45 45 47 47
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.0 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator	45 45 45 47 47 47 48
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations	45 45 45 47 47 47 48 50
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations	45 45 45 47 47 47 48 50 51
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations	45 45 45 47 47 47 48 50 51
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS)	45 45 47 47 47 48 50 51 52
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR)	45 45 47 47 47 48 50 51 52 53 53
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA	45 45 45 47 47 47 48 50 51 52 53 53
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access	45 45 45 47 47 47 48 50 51 52 53 53 53
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access 5.3.2 Scalable OFDMA (SOFDMA)	45 45 45 47 47 47 48 50 51 52 53 53 53 53
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access	45 45 45 47 47 47 48 50 51 52 53 53 53
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access 5.3.2 Scalable OFDMA (SOFDMA) 5.3.3 OFDMA in the OFDM PHYsical Layer: Subchannelisation	45 45 45 47 47 47 48 50 51 52 53 53 53 53 55 55
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access 5.3.2 Scalable OFDMA (SOFDMA) 5.3.3 OFDMA in the OFDM PHYsical Layer: Subchannelisation 5.4 Subcarrier Permutations in WiMAX OFDMA PHY	45 45 45 47 47 47 48 50 51 52 53 53 53 55 55
5.1. Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Phase Shift Keying (QPSK) 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access 5.3.2 Scalable OFDMA (SOFDMA) 5.3.3 OFDMA in the OFDM PHYsical Layer: Subchannelisation 5.4 Subcarrier Permutations in WiMAX OFDMA PHY 5.4.1 The Main Permutation Modes in OFDMA	45 45 45 47 47 47 48 50 51 52 53 53 53 53 55 55 57
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access 5.3.2 Scalable OFDMA (SOFDMA) 5.3.3 OFDMA in the OFDM PHYsical Layer: Subchannelisation 5.4 Subcarrier Permutations in WiMAX OFDMA PHY 5.4.1 The Main Permutation Modes in OFDMA 5.4.2 Some OFDMA PHY Definitions	45 45 47 47 47 48 50 51 52 53 53 53 55 55 57 57
5.1 Digital Modulations 5.1.1 Binary Phase Shift Keying (BPSK) 5.1.2 Quadrature Phase Shift Keying (QPSK) 5.1.3 Quadrature Amplitude Modulation (QAM): 16-QAM and 64-QAM 5.1.4 Link Adaptation 5.2 OFDM Transmission 5.2.1 Basic Principle: Use the IFFT Operator 5.2.2 Time Domain OFDM Considerations 5.2.3 Frequency Domain OFDM Considerations 5.2.4 OFDM Symbol Parameters and Some Simple Computations 5.2.5 Physical Slot (PS) 5.2.6 Peak-to-Average Power Ratio (PAPR) 5.3 OFDMA and Its Variant SOFDMA 5.3.1 Using the OFDM Principle for Multiple Access 5.3.2 Scalable OFDMA (SOFDMA) 5.3.3 OFDMA in the OFDM PHYsical Layer: Subchannelisation 5.4 Subcarrier Permutations in WiMAX OFDMA PHY 5.4.1 The Main Permutation Modes in OFDMA 5.4.2 Some OFDMA PHY Definitions 5.4.3 PUSC Permutation Mode	45 45 45 47 47 47 48 50 51 52 53 53 53 55 57 57

Contents ix

6	The Physical Layer of WiMAX	6
6.1	The 802.16 Physical Transmission Chains	6
	6.1.1 The Global Chains	6
6.2	Channel Coding	6
	6.2.1 Randomisation	7
	6.2.2 Forward Error Correction (FEC) Codes	7
	6.2.3 Interleaving	7
60	6.2.4 Repetition	7
0.3	Turbo Coding	7
	6.3.1 Convolutional Turbo Codes (CTC) 6.3.2 Block Turbo Codes (BTC)	7
6.4	Transmission Convergence Sublayer (TCS)	7
	Burst Profile	7
0.5	6.5.1 Downlink Burst Profile Parameters	7
	6.5.2 Uplink Burst Profile Parameters	7
	6.5.3 MCS Link Adaptation	7
	The Market of th	
PA	RT THREE WiMAX Multiple Access (MAC Layer) and QoS Management	8
7	Convergence Sublayer (CS)	8
7.1	CS in 802.16 Protocol Architecture	8
7.2	Connections and Service Flow	8
	7.2.1 Connection IDentifiers (CIDs)	8
	7.2.2 Service Flows	8
7.3	Classification and Mapping	8
7.4	CS and QoS	9
7.5	Payload Header Suppression (PHS)	9
	7.5.1 PHS Rules	9
	7.5.2 PHS Rules Signalling	9
	7.5.3 Header Compression in WiMAX	9
8	MAC Functions and MAC Frames	9
8.1	Introduction	9
8.2	MAC Addresses and MAC Frames	9
	8.2.1 MAC Addresses and Other Addresses	9
	8.2.2 MAC Frames	9
	8.2.3 MAC Header Format	9
	8.2.4 MAC Subheaders and Special Payloads	10
8.3	Fragmentation, Packing and Concatenation	10
	8.3.1 Fragmentation	10
	8.3.2 Packing	10
0 4	8.3.3 Concatenation	10
	Basic, Primary and Secondary Management Connections	10
	User Data and MAC Management Messages TLV Encoding in the 802.16 Standard	10 10
0.0	8.6.1 TLV Encoding Sets	10
87	Automatic Repeat Request (ARQ)	10
0.7	8.7.1 ARQ Feedback Format	10
	8.7.2 Hybrid Automatic Repeat Request (HARQ) Mechanism	10
8.8	Scheduling and Link Adaptation	11

x Contents

9	Multiple Access and Burst Profile Description	113
	Introduction	113
9.2	Duplexing: Both FDD and TDD are Possible	113
	9.2.1 FDD Mode	114
0.0	9.2.2 TDD Mode	114
9.3	Transmission of Downlink and Uplink Subframes	115
	9.3.1 OFDM PHY Downlink Subframe	116
	9.3.2 OFDM PHY Uplink Subframe 9.3.3 OFDMA PHY Frame	117
		118
	9.3.4 Frame Duration	119
0.4	9.3.5 Preambles	120
9.4	Maps of Multiple Access: DL-MAP and UL-MAP	121
	9.4.1 DL-MAP Message	122 123
	9.4.2 UL-MAP Message	
0.5	9.4.3 OFDMA PHY UL-MAP and DL-MAP Messages	124 125
9.3	Burst Profile Usage: DCD Message and the DIUC Indicator	125
	9.5.1 Burst Profile Selection Thresholds 9.5.2 DCD (Downlink Channel Descriptor) Message	125
	9.5.3 Transmission of the DCD Message	128
	9.5.4 An Example of the DCD Message	128
	9.5.5 DIUC Values	129
	9.5.6 UCD (Uplink Channel Descriptor) Message and UIUC Indicator	132
9.6	Mesh Frame	134
2.0	9.6.1 Network Control Subframe	134
	9.6.2 Schedule Control Subframe	135
	2.0.2 Seneuale Control Subjrume	133
10	Uplink Bandwidth Allocation and Request Mechanisms	137
	Downlink and Uplink Allocation of Bandwidth	137
10.2	Types of Uplink Access Grant-request	138
	10.2.1 Incremental and Aggregate Bandwidth Request	138
	10.2.2 Standalone and Piggyback Bandwidth Request	138
10.3	Uplink Access Grant-request Mechanisms	140
	10.3.1 Unsolicited Bandwidth Grants	141
	10.3.2 Unicast Polling	141
	10.3.3 Contention-based Group (Multicast or Broadcast) Polling	142
	10.3.4 Management of Multicast Polling Groups	143
	10.3.5 Contention Resolution for Group Polling	144
	10.3.6 Bandwidth Stealing	146
	10.3.7 Example of Uplink Access	147
10.4	Contention-based Focused Bandwidth Request in OFDM PHY	150
	10.4.1 Full Contention (REQ Region Full)	151
	10.4.2 Focused Contention (REQ Region Focused)	151
	10.4.3 Summary of Contention-based Uplink Grant-request Methods	153
10.5	Contention-based CDMA Bandwidth Request in OFDMA PHY	153
11	Network Entry and Quality of Service (QoS) Management	155
	Ranging	155
	11.1.1 Ranging Messages	155
	11.1.2 Initial Ranging	158
	11.1.3 Ranging (or Periodic Ranging)	160
	0.00	

Contents xi

11.2	Link Adaptation	161
	11.2.1 Downlink Channel Link Adaptation	162
	11.2.2 Uplink Channel Link Adaptation	163
11.3	The Five Scheduling Services or QoS Classes	163
	11.3.1 Unsolicited Grant Service (UGS)	165
	11.3.2 Extended Real-Time Polling Service (ertPS)	166
	11.3.3 Real-Time Polling Service (rtPS)	166
	11.3.4 Non-Real-Time Polling Service (nrtPS)	166
	11.3.5 Best Effort (BE)	167
11.4	Scheduling and Deployment of Services Over WiMAX	167
	11.4.1 The Scheduler is in the BS!	167
	11.4.2 Scheduling of the Different Transmission Services	168
11.5	Dynamic Service Addition and Change	170
	11.5.1 Service Flow Provisioning and Activation	170
	11.5.2 Service Flow Creation	171
	11.5.3 Service Flow Modification and Deletion	173
	11.5.4 Authorisation Module	174
11.6	Network Entry	175
11.0	11.6.1 Registration	179
	11.6.2 De-registration and Re-registration	180
	11.6.3 SS Reset	181
	11.0.5 bb Reset	101
PAR	T FOUR Diverse Topics	183
12	Efficient Use of Radio Resources	185
	With the contribution of Jérôme Brouet, Alcatel, France	
12.1	Introduction	185
12.2	Radio Engineering Consideration for WiMAX Systems	186
	12.2.1 LOS/NLOS Propagation	186
	12.2.2 Radio Parameters and System Gains	186
	12.2.3 WiMAX Radio Features that Enhance the Range	187
	12.2.4 Frequency Planning Guidelines	188
	12.2.5 Base Station Synchronisation	188
12.3	Radio Resource Management Procedures	189
	12.3.1 Power Control	189
	12.3.2 Dynamic Frequency Selection (DFS)	190
	12.3.3 Other Radio Resource Management Procedures	192
	12.3.4 Channel Measurements	192
	12.3.5 Support of Radio Resource Management in the WiMAX RAN	194
12.4	Advanced Antenna Technologies in WiMAX	194
	12.4.1 Beamforming or AAS Technologies	195
	12.4.2 MIMO (Multiple-Input Multiple-Output) Solution	200
	12.4.3 About the Implementation of Advanced Antenna Technologies	203
12.5	Multicast Broadcast Services (MBS)	204
14.3	12.5.1 Multi-BS Access MBS	204
	12.5.2 MBS Frame	205
	a more transcription	203
13	WiMAX Architecture	207
	With the contribution of Jérôme Brouet, Alcatel, France	
13.1	The Need for a Standardised WiMAX Architecture	207
	The state of the s	207